



**Orange City Council**  
 PO Box 35. Orange NSW 2800  
 Email Council@orange.nsw.gov.au  
 Telephone 02 6393 8000

**Application for Approval to  
 Discharge of Liquid Trade Waste  
 (CLASSIFICATION S)**

*Application made under the local Government Act 1993. Section 68*

Applicable to businesses that intend to discharge septic or pan-waste, medium to high-risk (Concurrence Classification S) liquid trade wastes to the sewerage system. All details must be submitted to allow for assessment and make sure you read the section on substances not to be discharged.

The information Council is collecting from you is personal information for the purposes of the Privacy and Personal Information Protection Act 1998. The intended recipients of the personal information are: Orange City Council Officers, and any other agent of Council. The supply of the information by you is voluntary. If you cannot provide or do not wish to provide the information sought, Council may be unable to process your information.

**Development Application No** \_\_\_\_\_  
 (if applicable)

PR: \_\_\_\_\_

New Trade Waste Application       Renewal

Office Use Only - Records

**1. PROPERTY DESCRIPTION (Site Address)**

No.: \_\_\_\_\_ Street: \_\_\_\_\_

Lot: \_\_\_\_\_ Section: \_\_\_\_\_ DP: \_\_\_\_\_

**2. BUSINESS TRADING NAME:**

**3. BUSINESS / PROPERTY OWNER/S DETAILS**

*Note: This section must be completed by all property owners*

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact No (phone/fax) BH: \_\_\_\_\_ AH: \_\_\_\_\_ Fax: \_\_\_\_\_

I/We consent to this application: \_\_\_\_\_ (Print Name)

**(Signature/s)** \_\_\_\_\_

(Property owner's authorisation to making the application is mandatory as per section 78 of the Local Government Act 1993)

**The application cannot be processed unless signed by the Property Owner**

**4. APPLICANT (if different to owner)**

Name(s): \_\_\_\_\_

Address: \_\_\_\_\_

Contact Telephone No.(s) BH: \_\_\_\_\_ AH: \_\_\_\_\_

Date: \_\_\_\_\_ **Signature(s):** \_\_\_\_\_

Email: \_\_\_\_\_ Contact Name: \_\_\_\_\_

**5. OCCUPIER (if different to owner or applicant)**

Name(s): \_\_\_\_\_

Contact Telephone No.(s) BH: \_\_\_\_\_ AH: \_\_\_\_\_



**6. TYPE OF WASTE (please select)**

Septic Tank Waste

- Septic Tank Effluent
- Septage

Pan content waste

- Caravan park / mobile homes
- Potable chemical toilets (building / event sites / bus / train)

**7. DESCRIPTION OF FLOW**

Hours during which discharge shall occur:

- Monday to Friday \_\_\_\_\_ to \_\_\_\_\_
- Saturday \_\_\_\_\_ to \_\_\_\_\_
- Sunday \_\_\_\_\_ to \_\_\_\_\_

**8. ODOUR INHIBITING AND OTHER CHEMICALS USED**

(Material Safety Data Sheets must be provided)

Name of chemical/s added: \_\_\_\_\_

Dosage rate: \_\_\_\_\_

**9. PROPOSED METHOD OF WASTE VOLUME MEASUREMENT**

\_\_\_\_\_  
\_\_\_\_\_

**10. INFORMATION ON DISPOSAL POINT, SITE PLAN AND DRAWINGS, IF APPLICABLE**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**11. OPEN AREAS (please attach stormwater drainage plan for the site)**

Does the proposed installation contain open areas that will drain to the sewerage system? Yes / No

If Yes, provide details: \_\_\_\_\_

***Stormwater is prohibited from being discharged into Council's sewerage system. The capacity of such flows is not provided in the sewerage system. Therefore, Council does not accept the discharge of stormwater to the sewerage system.***

Prevention of stormwater ingress at the proposed dump point: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_



## 12. ODOUR CONTROL MEASURES, IF APPLICABLE

---

---

## 13. MEASURES TO PREVENT GREASE TRAP WASTE FROM BEING MIXED WITH SEPTIC TANK WASTE

---

---

***Grease trap waste is not permitted to be discharged into Council's sewerage system.***

Please attach a statement that septic tank effluent will not be mixed with grease trap pump-out waste.

## 14. SECURITY ARRANGEMENTS AT THE PROPOSED DISPOSAL POINT, IF APPLICABLE

(What measures will be in place to prevent unauthorised discharge of waste to the sewerage system)

---

---

## 15. CHECKLIST FOR APPROVAL

**Concentrations of key parameters in the liquid trade waste discharge shall not exceed:**

i	pH shall be maintained within the range of	7.0 – 9.0
ii	BOD <sub>5</sub> (Biological Oxygen Demand)	300 mg/L
iii	COD (Chemical Oxygen Demand)	900 mg/L
iv	Suspended Solids	300 mg/L
v	Oil and Grease	100 mg/L
vi	Nitrogen	100 mg/L
vii	Phosphorus	20 mg/L
viii	Conductivity	4000 mg/L

Other parameters as per Council's Policy for Discharge of Liquid Trade Waste to the Sewerage System.

Contact Council's Trade Waste Team on 02 6393 8041 or 6393 8870 for details of those not listed.



## 16. SUBSTANCES PROHIBITED FROM BEING DISCHARGED TO THE SEWERAGE SYSTEM

The following substances are prohibited from being discharged into Council's sewers or drains:

- a) organochlorine weedicides, fungicides, pesticides, herbicides and substances of a similar nature and/or wastes arising from the preparation of these substances;
- b) organophosphorus pesticides and/or waste arising from the preparation of these substances;
- c) any substances liable to produce noxious or poisonous vapours in the sewerage system;
- d) organic solvents and mineral oil;
- e) any flammable or explosive substances;
- f) discharges from 'Bulk Fuel Depots';
- g) chromate from cooling towers;
- h) natural or synthetic resins, plastic monomers, synthetic adhesives and rubber plastic emulsions;
- i) rain, surface, seepage or subsoil water, unless specifically permitted;
- j) solid matter
- k) any substance assessed as not suitable to be discharged to the sewerage system;
- l) waste liquid that contain pollutants at concentrations which inhibit the sewage treatment process – refer *Australian Sewage Quality Management Guidelines*, June 2012, WSA; and
- m) any other substances listed in a relevant regulation.

## 17. FEES AND CHARGES

Liquid Trade Waste fees and charges are listed in Council's current Community Strategic Plan Documents which are available on-line or from Council's customer service. In submitting this form the **applicant** is aware that:

- there is an application fee of **\$145.90** to paid to Council's Cashier on submission (ABN 85 985 402 386).

If approved:

- there may be an annual fee; and
- there will be a septic waste disposal charge.

### Office Use Only – Cashier (04.00451.0592.1501, Cashier Type 101):

Date lodged: \_\_\_\_\_

Receipt no.: \_\_\_\_\_

Date paid: \_\_\_\_\_ \$145.90

Receipt by: \_\_\_\_\_

To Records for TRIM: \_\_\_\_\_

(Records will forward to Trade Waste Officer)

### Office Use Only – Liquid Trade Waste:

Inspection by: \_\_\_\_\_

Application: Approved / Refused

Inspection date: \_\_\_\_\_

Date of Determination: \_\_\_\_\_